

Leapfrog Survey Status: Summary

Rollout Region <i>Urban Targeted (A)</i>	Responded					Reported as	Met Any Leap			CPOE					IPS						
	Total Hospitals	#Hosp	%Hosp	%Beds	Avg Beds	"Did Not Disclose"	1+ Leaps			Fully Met					Standard Applies	Fully Met			Commit by 2009	%	
							Responded	Met	%	Responded	#Hosp	%Hosp	%Cases	Avg Beds		#Hosp	%Hosp	%Cases			Avg Beds
Alabama	64	8	12.5%	19.7%	377	56	8	7	87.5%	8					7	2	28.6%	38.7%	580		
Atlanta, GA	42	21	50.0%	52.4%	249	21	21	100.0%	21	2	9.5%	11.7%			20	3	15.0%	22.4%	384	2	10.0%
California	331	194	58.6%	68.5%	265	137	194	189	97.4%	194	17	8.8%	11.1%		189	72	38.1%	43.0%	305	14	7.4%
Central & Northern IN	67	17	25.4%	28.1%	224	50	17	17	100.0%	17					13	4	30.8%	52.4%	437	1	7.7%
Central Florida	27	5	18.5%	15.3%	241	22	5	5	100.0%	5					5	3	60.0%	63.6%	256		
Cincinnati																					
Colorado	33	31	93.9%	98.7%	303	2	31	31	100.0%	31	2	6.5%	6.9%		31	13	41.9%	53.4%	386	8	25.8%
Columbus, OH	33	17	51.5%	57.7%	355	16	17	17	100.0%	17					16	7	43.8%	65.8%	563	1	6.3%
Dallas-Fort Worth, TX	79	37	46.8%	63.7%	256	42	37	37	100.0%	37	1	2.7%	2.1%		35	5	14.3%	14.0%	260	5	14.3%
DC/Baltimore	46	4	8.7%	11.3%	424	42	4	4	100.0%	4	4	100.0%	100.0%		4	3	75.0%	85.8%	485		
East/Mid TN	54	35	64.8%	74.1%	264	19	35	33	94.3%	35	2	5.7%	8.1%		33	11	33.3%	46.1%	385	2	6.1%
Greater WA	15	4	26.7%	25.5%	202	11	4	4	100.0%	4					4	1	25.0%	20.4%	165		
Illinois	104	56	53.8%	61.9%	391	48	56	51	91.1%	55	6	10.9%	13.7%		56	30	53.6%	58.3%	426	1	1.8%
Iowa	22	3	13.6%	16.6%	369	19	3	2	66.7%	3					3	1	33.3%	17.5%	194		
Kansas City, MO	33	7	21.2%	21.2%	206	26	7	7	100.0%	7					6						
Maine	11	11	100.0%	100.0%	236	6	11	11	100.0%	11	2	18.2%	20.0%		11	6	54.5%	62.4%	270	2	18.2%
Massachusetts	71	63	88.7%	93.8%	220	8	63	59	93.7%	62	9	14.5%	24.9%		60	25	41.7%	49.8%	269	5	8.3%
Memphis, TN	19	15	78.9%	80.7%	251	4	15	14	93.3%	15	1	6.7%			13	4	30.8%	61.2%	547	1	7.7%
Metro NYC	133	20	15.0%	20.3%	533	113	20	20	100.0%	20	4	20.0%	23.7%		19	12	63.2%	76.5%	666	1	5.3%
Michigan	74	50	67.6%	80.2%	344	24	50	46	92.0%	50	8	16.0%	22.6%		47	23	48.9%	63.8%	469	3	6.4%
Minnesota	39	33	84.6%	94.6%	335	6	33	33	100.0%	33	3	9.1%	21.5%		31	9	29.0%	34.6%	423	3	9.7%
Nevada	20	16	80.0%	83.8%	254	4	16	15	93.8%	16					15						
New Jersey	75	21	28.0%	29.6%	348	54	21	20	95.2%	21	3	14.3%	12.5%		20	9	45.0%	49.2%	388	3	15.0%
New York State (excl NYC)	68	4	5.9%	11.3%	427	64	4	4	100.0%	4					4	4	100.0%	100.0%	427		
Northeast OH	33	25	75.8%	84.4%	377	8	25	23	92.0%	25	5	20.0%	33.1%		25	7	28.0%	43.7%	589	1	4.0%
Raleigh/Durham/Chapel Hill, NC	7	7	100.0%	100.0%	472	7	7	7	100.0%	7	2	28.6%	49.3%		7	3	42.9%	61.2%	673	1	14.3%
St Louis, MO	38	4	10.5%	7.4%	224	34	4	4	100.0%	4					4						
Savannah, GA	4	3	75.0%	79.4%	385	1	3	3	100.0%	3					3	1	33.3%	45.9%	530		
Seattle, WA	30	25	83.3%	88.6%	263	5	25	24	96.0%	25	4	16.0%	16.4%		23	9	39.1%	45.2%	310	2	8.7%
Southeast OH	17	4	23.5%	37.9%	494	13	4	4	100.0%	4					4	1	25.0%	26.0%	514		
Southern IN	9	3	33.3%	43.8%	294	6	3	3	100.0%	3					2						
Toledo, OH	10	9	90.0%	98.5%	307	1	9	9	100.0%	9					9	1	11.1%	5.5%	151		
Upstate South Carolina	10	9	90.0%	97.2%	281	1	9	9	100.0%	9					7	1	14.3%	10.4%	245	1	14.3%
Virginia	58	29	50.0%	54.6%	297	29	29	27	93.1%	29	1	3.4%	9.0%		29	8	27.6%	27.2%	292	1	3.4%
Western NC	4					4															
Western OR	20	12	60.0%	60.6%	272	8	12	12	100.0%	12					12	2	16.7%	30.4%	495		
Wichita, KS	8	6	75.0%	96.9%	427	2	6	2	33.3%	6					5						
Wisconsin	50	43	86.0%	90.1%	284	7	43	38	88.4%	43	2	4.7%	2.5%		41	16	39.0%	39.0%	296	4	9.8%
Subtotal	1,758	851	48.4%	53.5%	299	907	851	812	95.4%	849	78	9.2%	13.1%		813	296	36.4%	44.9%	381	63	7.7%

Leapfrog Survey Status: Summary

Rollout Region <i>Others Invited (C)</i>	Total Hospitals	Responded				Reported as "Did Not Disclose"	Met Any Leap 1+ Leaps			CPOE Fully Met					Standard Applies	IPS Fully Met			Commit by 2009		
		#Hosp	%Hosp	%Beds	Avg Beds		Responded	Met	%	Responded	#Hosp	%Hosp	%Cases	Avg Beds		#Hosp	%Hosp	%Cases	Avg Beds	by 2009	%
Alabama																					
Atlanta, GA	1					1															
California																					
Central & Northern IN																					
Central Florida																					
Cincinnati	27	3	11.1%	17.9%	422	24	3	3	100.0%	3	2	66.7%	81.3%	3	3	100.0%	100.0%	422			
Colorado	2	1	50.0%	56.7%	122	1	1	1	100.0%	1											
Columbus, OH	1					1															
Dallas-Fort Worth, TX																					
DC/Baltimore																					
East/Mid TN	22	6	27.3%	37.4%	182	16	6	5	83.3%	6				6							
Greater WA																					
Illinois	1					1															
Iowa	8	6	75.0%	81.0%	323	2	6	6	100.0%	6				6	4	66.7%	47.2%	228			
Kansas City, MO																					
Maine																					
Massachusetts																					
Memphis, TN	3	3	100.0%	100.0%	221		3	3	100.0%	3				3							
Metro NYC																					
Michigan	1					1															
Minnesota	3					3															
Nevada																					
New Jersey																					
New York State (excl NYC)																					
Northeast OH																					
Raleigh/Durham/Chapel Hill, NC	5					5															
St Louis, MO																					
Savannah, GA																					
Seattle, WA																					
Southeast OH																					
Southern IN																					
Toledo, OH	14	3	21.4%	36.6%	100	11	3	3	100.0%	3				2							
Upstate South Carolina																					
Virginia	1					1															
Western NC																					
Western OR	16	5	31.3%	27.6%	38	11	5	5	100.0%	5				5							
Wichita, KS																					
Wisconsin																					
Subtotal	105	27	25.7%	35.7%	206	78	27	26	96.3%	27	2	7.4%	18.5%	25	7	28.0%	40.3%	311			

Leapfrog Survey Status: Summary

Rollout Region	CABG												PCI													
	Standard Applies	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival			Standard Applies	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival		
		#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases		#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases
Urban Targeted (A)																										
Alabama	5				1	20.0%	32.4%							5				2	40.0%	65.7%	1	20.0%	2.5%			
Atlanta, GA	3				2	66.7%	44.3%							4	1	25.0%	36.3%	1	25.0%	36.3%	1	25.0%	36.3%			
California	93	23	24.7%	19.6%	43	46.2%	46.9%	25	26.9%	20.1%				97	25	25.8%	33.5%	37	37.8%	42.9%	35	36.1%	45.4%			
Central & Northern IN	7	1	14.3%	22.9%	1	14.3%	22.9%	2	28.6%	33.6%				9	3	33.3%	35.1%	4	44.4%	37.4%	4	44.4%	52.0%			
Central Florida	3				1	33.3%	35.9%							3	1	33.3%	9.7%	1	33.3%	9.7%	1	33.3%	65.5%			
Cincinnati																										
Colorado	17	6	35.3%	50.0%	9	52.9%	62.0%	7	41.2%	54.5%				27	3	11.1%	14.7%	10	37.0%	37.1%	8	29.6%	32.6%			
Columbus, OH	8	4	50.0%	36.3%	6	75.0%	58.2%	3	37.5%	58.0%				8	3	37.5%	57.6%	5	62.5%	66.9%	2	25.0%	22.0%			
Dallas-Fort Worth, TX	24	2	8.3%	8.8%	6	24.0%	18.9%	5	20.8%	18.5%				28	1	3.6%	9.8%	4	14.3%	17.5%	2	7.1%	20.7%			
DC/Baltimore	2	1	50.0%	57.9%	1	50.0%	57.9%	2	100.0%	100.0%				2	2	100.0%	100.0%	2	100.0%	100.0%	1	50.0%	48.9%			
East/Mid TN	13	4	30.8%	49.3%	4	30.8%	49.3%	1	7.7%	14.3%				24	3	12.5%	31.4%	6	25.0%	44.0%	2	8.3%	13.9%			
Greater WA	1							1	100.0%	100.0%				1	1	100.0%	100.0%	1	100.0%	100.0%	1	100.0%	100.0%			
Illinois	36	9	25.0%	26.3%	18	50.0%	49.8%	12	33.3%	33.3%				41	6	14.6%	23.0%	13	31.0%	43.1%	7	17.1%	20.5%			
Iowa	1	1	100.0%	100.0%	1	100.0%	100.0%							2	1	50.0%	16.8%	2	100.0%	100.0%	1	50.0%	16.8%			
Kansas City, MO	4							1	25.0%	31.2%				5	2	40.0%	41.6%	2	40.0%	41.6%	1	20.0%	8.4%			
Maine	3				1	33.3%	47.8%							3	1	33.3%	11.0%	2	66.7%	66.0%	1	33.3%	11.0%			
Massachusetts	13	4	30.8%	34.9%	10	76.9%	77.3%	2	15.4%	10.0%				20	6	30.0%	45.3%	12	60.0%	70.6%	6	30.0%	33.9%			
Memphis, TN	7	1	14.3%	13.1%	1	14.3%	13.1%							7	1	14.3%	12.7%	1	14.3%	12.7%						
Metro NYC	9	1	11.1%	5.9%	1	11.1%	5.9%	1	11.1%	11.2%				9	2	22.2%	30.1%	5	50.0%	61.0%	4	44.4%	42.9%			
Michigan	22	5	22.7%	16.8%	10	45.5%	52.4%	4	18.2%	15.8%				23	7	30.4%	32.0%	10	43.5%	41.8%	7	30.4%	25.9%			
Minnesota	14	8	57.1%	65.4%	11	78.6%	84.6%	3	21.4%	21.5%				15	7	46.7%	55.8%	8	53.3%	63.6%	7	46.7%	45.8%			
Nevada	9							2	22.2%	11.1%				12				1	8.3%	7.9%	1	8.3%	8.2%			
New Jersey	9	2	22.2%	28.0%	4	44.4%	56.8%	2	22.2%	11.0%				12	1	8.3%	16.5%	1	8.3%	16.5%	2	16.7%	23.1%			
New York State (excl NYC)	1	1	100.0%	100.0%	1	100.0%	100.0%							2												
Northeast OH	11	3	27.3%	19.1%	5	45.5%	29.3%	2	18.2%	15.1%				12	4	33.3%	38.9%	6	46.2%	49.1%	3	25.0%	15.2%			
Raleigh/Durham/Chapel Hill, NC	5	1	20.0%	9.5%	3	60.0%	76.8%							5	1	20.0%	63.9%	2	40.0%	72.4%						
St Louis, MO	2	1	50.0%	72.2%	1	50.0%	72.2%	1	50.0%	72.2%				2	1	50.0%	54.2%	1	50.0%	54.2%	2	100.0%	100.0%			
Savannah, GA	2	1	50.0%	38.2%	1	50.0%	38.2%							2	2	100.0%	100.0%	2	100.0%	100.0%						
Seattle, WA	9	4	44.4%	27.3%	4	44.4%	27.3%	8	88.9%	80.4%				9	3	33.3%	36.8%	3	33.3%	36.8%	7	77.8%	82.6%			
Southeast OH	3	2	66.7%	76.2%	2	66.7%	76.2%	1	33.3%	20.8%				3	2	66.7%	37.8%	2	66.7%	37.8%	2	66.7%	37.8%			
Southern IN	2													2	1	50.0%	38.9%	1	50.0%	38.9%						
Toledo, OH	4	2	50.0%	50.0%	2	50.0%	50.0%	1	25.0%	39.5%				4	2	50.0%	46.6%	2	50.0%	46.6%	2	50.0%	46.8%			
Upstate South Carolina	4				3	75.0%	81.0%							4	2	50.0%	68.2%	2	50.0%	68.2%	2	50.0%	60.4%			
Virginia	10				5	50.0%	68.2%	1	10.0%	10.6%				13	3	23.1%	17.6%	8	61.5%	78.7%	1	7.7%	9.0%			
Western NC																										
Western OR	6	2	33.3%	59.3%	3	50.0%	66.4%	3	50.0%	60.7%				8	3	37.5%	63.3%	3	37.5%	63.3%	4	50.0%	74.6%			
Wichita, KS	2													3												
Wisconsin	24	7	29.2%	30.9%	10	41.7%	37.1%	12	50.0%	49.2%				32	12	37.5%	53.3%	15	46.9%	62.7%	17	53.1%	40.5%			
Subtotal	388	96	24.7%	25.3%	171	44.0%	47.3%	102	26.3%	23.2%				458	113	24.7%	34.3%	177	38.3%	46.7%	135	29.5%	32.6%			

Leapfrog Survey Status: Summary

Rollout Region	CABG												PCI														
	Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival			Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival			
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	
Alabama																											
Atlanta, GA																											
California																											
Central & Northern IN																											
Central Florida																											
Cincinnati																											
Colorado																											
Columbus, OH																											
Dallas-Fort Worth, TX																											
DC/Baltimore																											
East/Mid TN																											
Greater WA																											
Illinois	1							1	100.0%	100.0%				3													
Iowa																											
Kansas City, MO														1													
Maine																											
Massachusetts																											
Memphis, TN																											
Metro NYC																											
Michigan	3	1	33.3%	25.5%	2	66.7%	89.3%						3														
Minnesota																											
Nevada																											
New Jersey																											
New York State (excl NYC)																											
Northeast OH																											
Raleigh/Durham/Chapel Hill, NC																											
St Louis, MO																											
Savannah, GA																											
Seattle, WA																											
Southeast OH																											
Southern IN	1												2	1	50.0%	66.2%	1	50.0%	66.2%	1	50.0%	33.8%					
Toledo, OH																											
Upstate South Carolina																											
Virginia																											
Western NC																											
Western OR																											
Wichita, KS																											
Wisconsin																											
Subtotal	5	1	20.0%	20.7%	2	40.0%	72.3%	1	20.0%	11.6%			9	1	11.1%	4.7%	1	11.1%	4.7%	1	11.1%	2.4%					

Leapfrog Survey Status: Summary

Rollout Region Others Invited (C)	CABG												PCI														
	Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival			Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival			
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	
Alabama																											
Atlanta, GA																											
California																											
Central & Northern IN																											
Central Florida																											
Cincinnati	1													2	1	50.0%	88.9%	1	50.0%	88.9%	1	50.0%	88.9%				
Colorado																											
Columbus, OH																											
Dallas-Fort Worth, TX																											
DC/Baltimore																											
East/Mid TN	1													2							2	100.0%	100.0%				
Greater WA																											
Illinois																											
Iowa	4	3	75.0%	77.4%	3	75.0%	77.4%	2	50.0%	58.1%				5	1	20.0%	9.2%	2	40.0%	23.3%	2	40.0%	26.1%				
Kansas City, MO																											
Maine																											
Massachusetts																											
Memphis, TN	2													2													
Metro NYC																											
Michigan																											
Minnesota																											
Nevada																											
New Jersey																											
New York State (excl NYC)																											
Northeast OH																											
Raleigh/Durham/Chapel Hill, NC																											
St Louis, MO																											
Savannah, GA																											
Seattle, WA																											
Southeast OH																											
Southern IN																											
Toledo, OH	1																										
Upstate South Carolina																											
Virginia																											
Western NC																											
Western OR																											
Wichita, KS																											
Wisconsin																											
Subtotal	9	3	33.3%	26.1%	3	33.3%	26.1%	2	22.2%	19.6%				11	2	18.2%	27.4%	3	27.3%	32.0%	5	45.5%	66.2%				

Leapfrog Survey Status: Summary

Rollout Region	CABG												PCI													
	Standard Applies	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival			Standard Applies	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Best Survival		
		#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases		#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases
Total																										
Alabama	5				1	20.0%	32.4%							5				2	40.0%	65.7%	1	20.0%	2.5%			
Atlanta, GA	3				2	66.7%	44.3%							4	1	25.0%	36.3%	1	25.0%	36.3%	1	25.0%	36.3%			
California	93	23	24.7%	19.6%	43	46.2%	46.9%	25	26.9%	20.1%				97	25	25.8%	33.5%	37	37.8%	42.9%	35	36.1%	45.4%			
Central & Northern IN	7	1	14.3%	22.9%	1	14.3%	22.9%	2	28.6%	33.6%				9	3	33.3%	35.1%	4	44.4%	37.4%	4	44.4%	52.0%			
Central Florida	3				1	33.3%	35.9%							3	1	33.3%	9.7%	1	33.3%	9.7%	1	33.3%	65.5%			
Cincinnati	1													2	1	50.0%	88.9%	1	50.0%	88.9%	1	50.0%	88.9%			
Colorado	17	6	35.3%	50.0%	9	52.9%	62.0%	7	41.2%	54.5%				27	3	11.1%	14.7%	10	37.0%	37.1%	8	29.6%	32.6%			
Columbus, OH	8	4	50.0%	36.3%	6	75.0%	58.2%	3	37.5%	58.0%				8	3	37.5%	57.6%	5	62.5%	66.9%	2	25.0%	22.0%			
Dallas-Fort Worth, TX	24	2	8.3%	8.8%	6	24.0%	18.9%	5	20.8%	18.5%				28	1	3.6%	9.8%	4	14.3%	17.5%	2	7.1%	20.7%			
DC/Baltimore	2	1	50.0%	57.9%	1	50.0%	57.9%	2	100.0%	100.0%				2	2	100.0%	100.0%	2	100.0%	100.0%	1	50.0%	48.9%			
East/Mid TN	14	4	28.6%	44.8%	4	28.6%	44.8%	1	7.1%	13.0%				26	3	11.5%	27.0%	6	23.1%	37.8%	4	15.4%	26.0%			
Greater WA	1							1	100.0%	100.0%				1	1	100.0%	100.0%	1	100.0%	100.0%	1	100.0%	100.0%			
Illinois	37	9	24.3%	25.9%	18	48.6%	48.9%	13	35.1%	34.5%				44	6	13.6%	22.4%	13	28.9%	42.0%	7	15.9%	20.0%			
Iowa	5	4	80.0%	82.8%	4	80.0%	82.8%	2	40.0%	44.0%				7	2	28.6%	11.2%	4	57.1%	43.0%	3	42.9%	23.7%			
Kansas City, MO	4							1	25.0%	31.2%				5	2	40.0%	41.6%	2	40.0%	41.6%	1	20.0%	8.4%			
Maine	3				1	33.3%	47.8%							4	1	25.0%	10.4%	2	50.0%	62.0%	1	25.0%	10.4%			
Massachusetts	13	4	30.8%	34.9%	10	76.9%	77.3%	2	15.4%	10.0%				20	6	30.0%	45.3%	12	60.0%	70.6%	6	30.0%	33.9%			
Memphis, TN	9	1	11.1%	11.9%	1	11.1%	11.9%							9	1	11.1%	11.7%	1	11.1%	11.7%						
Metro NYC	9	1	11.1%	5.9%	1	11.1%	5.9%	1	11.1%	11.2%				9	2	22.2%	30.1%	5	50.0%	61.0%	4	44.4%	42.9%			
Michigan	25	6	24.0%	17.6%	12	48.0%	56.1%	4	16.0%	14.2%				26	7	26.9%	28.8%	10	38.5%	37.6%	7	26.9%	23.3%			
Minnesota	14	8	57.1%	65.4%	11	78.6%	84.6%	3	21.4%	21.5%				15	7	46.7%	55.8%	8	53.3%	63.6%	7	46.7%	45.8%			
Nevada	9							2	22.2%	11.1%				12				1	8.3%	7.9%	1	8.3%	8.2%			
New Jersey	9	2	22.2%	28.0%	4	44.4%	56.8%	2	22.2%	11.0%				12	1	8.3%	16.5%	1	8.3%	16.5%	2	16.7%	23.1%			
New York State (excl NYC)	1	1	100.0%	100.0%	1	100.0%	100.0%							2												
Northeast OH	11	3	27.3%	19.1%	5	45.5%	29.3%	2	18.2%	15.1%				12	4	33.3%	38.9%	6	46.2%	49.1%	3	25.0%	15.2%			
Raleigh/Durham/Chapel Hill, NC	5	1	20.0%	9.5%	3	60.0%	76.8%							5	1	20.0%	63.9%	2	40.0%	72.4%						
St Louis, MO	2	1	50.0%	72.2%	1	50.0%	72.2%	1	50.0%	72.2%				2	1	50.0%	54.2%	1	50.0%	54.2%	2	100.0%	100.0%			
Savannah, GA	2	1	50.0%	38.2%	1	50.0%	38.2%							2	2	100.0%	100.0%	2	100.0%	100.0%						
Seattle, WA	9	4	44.4%	27.3%	4	44.4%	27.3%	8	88.9%	80.4%				9	3	33.3%	36.8%	3	33.3%	36.8%	7	77.8%	82.6%			
Southeast OH	3	2	66.7%	76.2%	2	66.7%	76.2%	1	33.3%	20.8%				3	2	66.7%	37.8%	2	66.7%	37.8%	2	66.7%	37.8%			
Southern IN	3													4	2	50.0%	43.0%	2	50.0%	43.0%	1	25.0%	5.0%			
Toledo, OH	5	2	40.0%	46.3%	2	40.0%	46.3%	1	20.0%	36.6%				4	2	50.0%	46.6%	2	50.0%	46.6%	2	50.0%	46.8%			
Upstate South Carolina	4				3	75.0%	81.0%							4	2	50.0%	68.2%	2	50.0%	68.2%	2	50.0%	60.4%			
Virginia	10				5	50.0%	68.2%	1	10.0%	10.6%				13	3	23.1%	17.6%	8	61.5%	78.7%	1	7.7%	9.0%			
Western NC																										
Western OR	6	2	33.3%	59.3%	3	50.0%	66.4%	3	50.0%	60.7%				8	3	37.5%	63.3%	3	37.5%	63.3%	4	50.0%	74.6%			
Wichita, KS	2													3												
Wisconsin	24	7	29.2%	30.9%	10	41.7%	37.1%	12	50.0%	49.2%				32	12	37.5%	53.3%	15	46.9%	62.7%	17	53.1%	40.5%			
Total RRO List	402	100	24.9%	25.2%	176	43.7%	47.1%	105	26.1%	23.0%				478	116	24.3%	33.8%	181	37.6%	45.9%	141	29.5%	32.9%			
Non-RRO Areas	105	21	20.0%	26.2%	41	38.7%	48.9%	19	18.1%	18.5%				116	11	9.5%	15.4%	30	25.6%	32.1%	11	9.5%	11.7%			
Total w/Surveys	507	121	23.9%	25.4%	217	42.6%	47.5%	124	24.5%	22.0%				594	127	21.4%	30.1%	211	35.2%	43.2%	152	25.6%	28.7%			

Leapfrog Survey Status: Summary

Rollout Region <i>Urban Targeted (A)</i>	Aortic Valve Replacement							AAA Repair							Pancreatectomy							Esophagectomy						
	Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival		
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases
Alabama	5						5	1	20.0%	36.1%				4	1	25.0%	97.4%				4	1	25.0%	91.2%	1	50.0%	91.2%	
Atlanta, GA	3						8							6	2	33.3%	91.6%	2	33.3%	91.6%	4	1	25.0%	83.3%	1	33.3%	83.3%	
California	92	6	6.5%	25.6%			131	1	0.8%	2.4%				113	18	15.9%	63.1%	34	34.0%	72.8%	94	12	12.8%	60.6%	17	23.3%	70.5%	
Central & Northern IN	7	1	14.3%	40.5%			8	1	12.5%	34.8%				5	3	60.0%	100.0%	3	100.0%	100.0%	6	1	16.7%	65.0%	3	60.0%	90.0%	
Central Florida	3						4							2							1							
Cincinnati																												
Colorado	17						20	1	5.0%	12.9%				18	2	11.1%	51.8%	3	18.8%	53.0%	18				1	6.7%	21.4%	
Columbus, OH	8						10							7	4	57.1%	95.6%	4	57.1%	95.6%	6	2	33.3%	83.8%	2	33.3%	83.8%	
Dallas-Fort Worth, TX	26						27	1	3.7%	11.8%				16	4	25.0%	81.0%	3	23.1%	51.3%	19	2	10.5%	40.3%	4	26.7%	65.7%	
DC/Baltimore	2	1	50.0%	77.1%			3	1	33.3%	75.3%				3	2	66.7%	100.0%	2	100.0%	100.0%	3	1	33.3%	93.3%	1	50.0%	93.3%	
East/Mid TN	13	2	15.4%	40.8%			21	2	9.5%	19.1%				15	7	46.7%	87.9%	8	66.7%	95.5%	13	4	30.8%	77.6%	4	40.0%	77.6%	
Greater WA	1						4							1							1							
Illinois	36	2	5.6%	25.1%			42	2	4.8%	13.2%				33	7	21.2%	79.4%	13	46.4%	91.1%	27	5	18.5%	67.8%	8	38.1%	80.3%	
Iowa	1						2							2							1							
Kansas City, MO	4						6							2				1	50.0%	87.5%	2							
Maine	3	1	33.3%	57.8%			6	2	33.3%	71.6%				3	2	66.7%	97.5%	2	66.7%	97.5%	4				2	50.0%	85.7%	
Massachusetts	14	4	28.6%	55.1%			36	4	11.1%	41.4%				17	5	29.4%	90.7%	6	46.2%	94.2%	19	4	21.1%	83.8%	6	42.9%	91.9%	
Memphis, TN	6						6	1	16.7%	19.5%				4	2	50.0%	90.0%	2	50.0%	90.0%	2							
Metro NYC	9						15							16	2	12.5%	34.4%	10	76.9%	92.7%	13	1	7.7%	38.5%	2	18.2%	57.7%	
Michigan	22	2	9.1%	36.6%			38	4	10.5%	20.9%				26	7	26.9%	76.6%	11	45.8%	86.6%	25	5	20.0%	84.6%	6	27.3%	87.0%	
Minnesota	14	2	14.3%	54.3%			19							17	6	35.3%	88.2%	9	52.9%	94.9%	14	3	21.4%	77.3%	6	50.0%	90.6%	
Nevada	9						12							10				2	28.6%	51.6%	9							
New Jersey	9	2	22.2%	49.8%			15	3	20.0%	43.7%				13	4	30.8%	76.6%	5	55.6%	83.0%	11	2	18.2%	69.4%	3	50.0%	82.3%	
New York State (excl NYC)	1						2							4	2	50.0%	90.0%	3	75.0%	97.1%	3	2	66.7%	98.6%	2	66.7%	98.6%	
Northeast OH	11	2	18.2%	85.5%			20							10	2	20.0%	86.7%	3	37.5%	90.6%	13	1	7.7%	73.7%	2	25.0%	83.8%	
Raleigh/Durham/Chapel Hill, NC	5	1	20.0%	56.0%			6	1	16.7%	26.8%				6	2	33.3%	86.6%	3	50.0%	93.8%	5	2	40.0%	89.9%	2	40.0%	89.9%	
St Louis, MO	2						2							2							2							
Savannah, GA	2						2	1	50.0%	70.2%				3	1	33.3%	69.6%	1	33.3%	69.6%	3							
Seattle, WA	9	1	11.1%	17.2%			17							10	3	30.0%	87.4%	4	44.4%	91.6%	9	3	33.3%	89.8%	3	33.3%	89.8%	
Southeast OH	3						4							2							2							
Southern IN	2						2							2							2							
Toledo, OH	4						8							4							5	1	20.0%	43.3%	3	60.0%	93.3%	
Upstate South Carolina	4						5							4	2	50.0%	77.8%	2	50.0%	44.4%	4							
Virginia	10						17							11	2	18.2%	32.8%	3	33.3%	41.8%	12				1	14.3%	37.9%	
Western NC																												
Western OR	6						9							7	1	14.3%	53.7%	1	14.3%	53.7%	8				3	42.9%	83.9%	
Wichita, KS	2						3							3				2	66.7%	93.8%	2							
Wisconsin	24						32	1	3.1%	7.7%				21	5	23.8%	74.0%	8	44.4%	88.2%	23	7	30.4%	78.2%	8	40.0%	81.0%	
Subtotal	389	27	6.9%	30.1%			567	27	4.8%	12.9%				422	98	23.2%	77.2%	150	41.2%	81.1%	389	60	15.4%	69.3%	91	28.5%	79.2%	

Leapfrog Survey Status: Summary

Rollout Region	Aortic Valve Replacement							AAA Repair							Pancreatectomy							Esophagectomy						
	Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival		
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases
Alabama																												
Atlanta, GA																												
California																												
Central & Northern IN																												
Central Florida																												
Cincinnati																												
Colorado								1																				
Columbus, OH																												
Dallas-Fort Worth, TX																												
DC/Baltimore																												
East/Mid TN								2																				
Greater WA																												
Illinois	1							3																				
Iowa																												
Kansas City, MO																												
Maine								1																				
Massachusetts																												
Memphis, TN																												
Metro NYC																												
Michigan	3	1	33.3%	59.7%				5	1	20.0%	31.9%			4				1	25.0%	57.1%		3						
Minnesota								1														1						
Nevada																												
New Jersey																												
New York State (excl NYC)																												
Northeast OH																												
Raleigh/Durham/Chapel Hill, NC																												
St Louis, MO																												
Savannah, GA																												
Seattle, WA																												
Southeast OH																												
Southern IN	1							1																				
Toledo, OH																												
Upstate South Carolina																												
Virginia																												
Western NC																												
Western OR																												
Wichita, KS																												
Wisconsin								3						1								2						
Subtotal	5	1	20.0%	56.6%				17	1	5.9%	26.1%			5				1	20.0%	53.3%		6						

Leapfrog Survey Status: Summary

Rollout Region Others Invited (C)	Aortic Valve Replacement							AAA Repair							Pancreatectomy							Esophagectomy						
	Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival		
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases
Alabama																												
Atlanta, GA																												
California																												
Central & Northern IN																												
Central Florida																												
Cincinnati	1							2						1					1	100.0%	100.0%	1						
Colorado																												
Columbus, OH																												
Dallas-Fort Worth, TX																												
DC/Baltimore																												
East/Mid TN	1							4						3														
Greater WA																												
Illinois																												
Iowa	4							4						5	1	20.0%	71.8%	1	20.0%	71.8%	4	1	25.0%	68.9%	3	75.0%	97.8%	
Kansas City, MO																												
Maine																												
Massachusetts																												
Memphis, TN	2							2						1					1	100.0%	100.0%							
Metro NYC																												
Michigan																												
Minnesota																												
Nevada																												
New Jersey																												
New York State (excl NYC)																												
Northeast OH																												
Raleigh/Durham/Chapel Hill, NC																												
St Louis, MO																												
Savannah, GA																												
Seattle, WA																												
Southeast OH																												
Southern IN																												
Toledo, OH	1							1						1														
Upstate South Carolina																												
Virginia																												
Western NC																												
Western OR								1						1														
Wichita, KS																												
Wisconsin																												
Subtotal	9							14						12	1	8.3%	52.8%	3	30.0%	73.6%	7	1	14.3%	63.3%	3	60.0%	89.8%	

Leapfrog Survey Status: Summary

Rollout Region	Aortic Valve Replacement							AAA Repair							Pancreatectomy							Esophagectomy							
	Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			Standard	Fully Met			Best Survival			
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	
Total																													
Alabama	5						5	1	20.0%	36.1%				4	1	25.0%	97.4%				4	1	25.0%	91.2%	1	50.0%	91.2%		
Atlanta, GA	3						8							6	2	33.3%	91.6%	2	33.3%	91.6%	4	1	25.0%	83.3%	1	33.3%	83.3%		
California	92	6	6.5%	25.6%			131	1	0.8%	2.4%			113	18	15.9%	63.1%	34	34.0%	72.8%	94	12	12.8%	60.6%	17	23.3%	70.5%			
Central & Northern IN	7	1	14.3%	40.5%			8	1	12.5%	34.8%			5	3	60.0%	100.0%	3	100.0%	100.0%	6	1	16.7%	65.0%	3	60.0%	90.0%			
Central Florida	3						4						2							1									
Cincinnati	1						2						1						1	100.0%	100.0%	1							
Colorado	17						21	1	4.8%	12.9%			18	2	11.1%	51.8%	3	18.8%	53.0%	18					1	6.7%	21.4%		
Columbus, OH	8						10						7	4	57.1%	95.6%	4	57.1%	95.6%	6	2	33.3%	83.8%	2	33.3%	83.8%			
Dallas-Fort Worth, TX	26						27	1	3.7%	11.8%			16	4	25.0%	81.0%	3	23.1%	51.3%	19	2	10.5%	40.3%	4	26.7%	65.7%			
DC/Baltimore	2	1	50.0%	77.1%			3	1	33.3%	75.3%			3	2	66.7%	100.0%	2	100.0%	100.0%	3	1	33.3%	93.3%	1	50.0%	93.3%			
East/Mid TN	14	2	14.3%	37.9%			27	2	7.4%	17.9%			18	7	38.9%	86.6%	8	57.1%	94.0%	14	4	28.6%	77.6%	4	40.0%	77.6%			
Greater WA	1						4						1							1									
Illinois	37	2	5.4%	25.0%			45	2	4.4%	13.0%			33	7	21.2%	79.4%	13	46.4%	91.1%	27	5	18.5%	67.8%	8	38.1%	80.3%			
Iowa	5						6						7	1	14.3%	68.3%	1	14.3%	68.3%	5	1	20.0%	67.4%	3	60.0%	95.7%			
Kansas City, MO	4						6						2						1	50.0%	87.5%	2							
Maine	3	1	33.3%	57.8%			7	2	28.6%	70.0%			3	2	66.7%	97.5%	2	66.7%	97.5%	4					2	50.0%	85.7%		
Massachusetts	14	4	28.6%	55.1%			36	4	11.1%	41.4%			17	5	29.4%	90.7%	6	46.2%	94.2%	19	4	21.1%	83.8%	6	42.9%	91.9%			
Memphis, TN	8						8	1	12.5%	17.8%			5	2	40.0%	80.0%	3	60.0%	91.1%	2									
Metro NYC	9						15						16	2	12.5%	34.4%	10	76.9%	92.7%	13	1	7.7%	38.5%	2	18.2%	57.7%			
Michigan	25	3	12.0%	40.1%			43	5	11.6%	22.2%			30	7	23.3%	73.1%	12	42.9%	85.2%	28	5	17.9%	82.8%	6	25.0%	85.2%			
Minnesota	14	2	14.3%	54.3%			20						17	6	35.3%	88.2%	9	52.9%	94.9%	15	3	20.0%	76.1%	6	46.2%	89.1%			
Nevada	9						12						10						2	28.6%	51.6%	9							
New Jersey	9	2	22.2%	49.8%			15	3	20.0%	43.7%			13	4	30.8%	76.6%	5	55.6%	83.0%	11	2	18.2%	69.4%	3	50.0%	82.3%			
New York State (excl NYC)	1						2						4	2	50.0%	90.0%	3	75.0%	97.1%	3	2	66.7%	98.6%	2	66.7%	98.6%			
Northeast OH	11	2	18.2%	85.5%			20						10	2	20.0%	86.7%	3	37.5%	90.6%	13	1	7.7%	73.7%	2	25.0%	83.8%			
Raleigh/Durham/Chapel Hill, NC	5	1	20.0%	56.0%			6	1	16.7%	26.8%			6	2	33.3%	86.6%	3	50.0%	93.8%	5	2	40.0%	89.9%	2	40.0%	89.9%			
St Louis, MO	2						2						2							2									
Savannah, GA	2						2	1	50.0%	70.2%			3	1	33.3%	69.6%	1	33.3%	69.6%	3									
Seattle, WA	9	1	11.1%	17.2%			17						10	3	30.0%	87.4%	4	44.4%	91.6%	9	3	33.3%	89.8%	3	33.3%	89.8%			
Southeast OH	3						4						2							2									
Southern IN	3						3						2							2									
Toledo, OH	5						9						5							5	1	20.0%	43.3%	3	60.0%	93.3%			
Upstate South Carolina	4						5						4	2	50.0%	77.8%	2	50.0%	44.4%	4									
Virginia	10						17						11	2	18.2%	32.8%	3	33.3%	41.8%	12					1	14.3%	37.9%		
Western NC																													
Western OR	6						10						8	1	12.5%	53.7%	1	14.3%	53.7%	9					3	42.9%	83.9%		
Wichita, KS	2						3						3						2	66.7%	93.8%	2							
Wisconsin	24						35	1	2.9%	7.6%			22	5	22.7%	73.5%	8	42.1%	87.6%	25	7	28.0%	77.5%	8	38.1%	80.3%			
Total RRO List	403	28	6.9%	29.9%			598	28	4.7%	12.9%			439	99	22.6%	76.6%	154	40.6%	80.9%	402	61	15.2%	68.9%	94	29.7%	79.0%			
Non-RRO Areas	106	5	4.7%	14.7%			128	5	3.9%	13.7%			81	19	23.5%	84.7%	26	38.8%	89.8%	83	10	12.0%	59.1%	20	31.3%	78.2%			
Total w/Surveys	509	33	6.5%	27.1%			726	33	4.5%	13.0%			520	118	22.7%	78.1%	180	40.4%	82.5%	485	71	14.6%	67.6%	114	29.9%	78.9%			

Leapfrog Survey Status: Summary

Rollout Region <i>Rural Targeted (B)</i>	Bariatric Surgery				High-Risk Deliveries				SPS					AMI									
	Standard	Fully Met			Standard	Fully Met			Responded	Fully Met				Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use		
	Applies	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases		#Hosp	%Hosp	%Cases	Avg Beds	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases
Alabama									1														
Atlanta, GA									2														
California	1								10	2	20.0%	14.7%	37	6	1	16.7%	13.5%	1	16.7%	13.5%	4	66.7%	68.8%
Central & Northern IN									3	1	33.3%	31.0%	25										
Central Florida																							
Cincinnati																							
Colorado	1								8					4	1	25.0%	40.0%	2	50.0%	50.3%	1	20.0%	12.4%
Columbus, OH																							
Dallas-Fort Worth, TX									1					1							1	100.0%	100.0%
DC/Baltimore																							
East/Mid TN									2	1	50.0%	22.8%	94	2	1	50.0%	45.8%	1	50.0%	45.8%	2	100.0%	100.0%
Greater WA									1														
Illinois	1								13	3	23.1%	17.2%	91	7							3	37.5%	15.2%
Iowa									1					1									
Kansas City, MO									2												1	100.0%	100.0%
Maine									25	4	16.0%	14.8%	42	15	5	33.3%	29.6%	6	37.5%	29.9%	13	72.2%	69.9%
Massachusetts									2												1	100.0%	100.0%
Memphis, TN																							
Metro NYC																							
Michigan	3	2	66.7%	93.0%	1				37	4	10.8%	21.2%	133	14	2	14.3%	2.3%	2	14.3%	2.3%	7	43.8%	11.0%
Minnesota	3	1	33.3%	68.7%					17	3	17.6%	21.0%	36	5	2	40.0%	23.3%	3	60.0%	41.6%	4	50.0%	62.1%
Nevada									1												1	100.0%	100.0%
New Jersey																							
New York State (excl NYC)																							
Northeast OH									2					1							2	100.0%	100.0%
Raleigh/Durham/Chapel Hill, NC																							
St Louis, MO									1														
Savannah, GA									2	1	50.0%	25.3%	72	1							2	100.0%	100.0%
Seattle, WA									2					1									
Southeast OH									2												1	100.0%	100.0%
Southern IN									5	1	20.0%	62.9%	232	4							2	50.0%	14.4%
Toledo, OH									7	1	14.3%	8.2%	15	3	1	33.3%	34.5%	1	33.3%	34.5%	3	60.0%	67.9%
Upstate South Carolina																							
Virginia									5					5	1	20.0%	18.1%	1	20.0%	18.1%	3	60.0%	53.3%
Western NC																							
Western OR																							
Wichita, KS																							
Wisconsin	1								35	7	20.0%	40.4%	73	8	3	37.5%	33.6%	5	62.5%	41.7%	11	73.3%	89.2%
Subtotal	10	3	30.0%	71.1%	1				187	28	15.0%	20.2%	75	79	17	21.5%	11.5%	22	27.2%	13.2%	62	59.6%	38.5%

Leapfrog Survey Status: Summary

Rollout Region <i>Others Invited (C)</i>	Bariatric Surgery				High-Risk Deliveries				SPS					AMI									
	Standard	Fully Met			Standard	Fully Met			Responded	Fully Met				Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use		
	Applies	#Hosp	%Hosp	%Cases	Applies	#Hosp	%Hosp	%Cases		#Hosp	%Hosp	%Cases	Avg Beds		Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp
Alabama																							
Atlanta, GA																							
California																							
Central & Northern IN																							
Central Florida																							
Cincinnati	1								3	1	33.3%	27.2%	339	2			1	50.0%	28.5%				
Colorado									1														
Columbus, OH																							
Dallas-Fort Worth, TX																							
DC/Baltimore																							
East/Mid TN	3	1	33.3%	83.4%	1				6	2	33.3%	29.2%	182	6									
Greater WA																							
Illinois																							
Iowa	4				3				6					5	2	40.0%	30.0%	3	60.0%	46.7%			
Kansas City, MO																							
Maine																							
Massachusetts																							
Memphis, TN	1	1	100.0%	100.0%					3	3	100.0%	100.0%	221	2									
Metro NYC																							
Michigan																							
Minnesota																							
Nevada																							
New Jersey																							
New York State (excl NYC)																							
Northeast OH																							
Raleigh/Durham/Chapel Hill, NC																							
St Louis, MO																							
Savannah, GA																							
Seattle, WA																							
Southeast OH																							
Southern IN																							
Toledo, OH	1				1				2														
Upstate South Carolina																							
Virginia																							
Western NC																							
Western OR									5					3	1	33.3%	39.4%	1	33.3%	39.4%	3	75.0%	76.2%
Wichita, KS																							
Wisconsin																							
Subtotal	10	2	20.0%	43.8%	5				26	6	23.1%	23.2%	228	18	3	16.7%	10.0%	5	27.8%	22.3%	3	15.8%	2.2%

Leapfrog Survey Status: Summary

Rollout Region <i>Urban Targeted (A)</i>	Pneumonia									Pressure Ulcers				Injuries				Never-Events Policy					
	Standard Applies	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Standard Applies	Fully Meet	% Met of		Standard Applies	Fully Meet	% Met of		Responded	Fully Met			
		#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases			Hosp	Cases			Hosp	Cases		#Hosp	%Hosp	%Cases	Avg Beds
Alabama	6						2	33.3%	20.2%	2				2	1	50.0%	72.2%	7	3	42.9%	43.7%	393	
Atlanta, GA	16	4	25.0%	24.4%	6	37.5%	37.4%	4	25.0%	14.6%	9	3	33.3%	56.8%	9	3	33.3%	56.8%	21	14	66.7%	48.6%	255
California	173	33	19.1%	16.8%	55	31.8%	32.1%	45	26.0%	25.1%	120	28	23.3%	21.5%	118	41	34.7%	38.8%	192	138	71.9%	67.4%	266
Central & Northern IN	14	1	7.1%	7.1%	3	21.4%	14.6%	2	14.3%	9.4%	9	1	11.1%	6.8%	9	1	11.1%	6.8%	17	17	100.0%	100.0%	224
Central Florida	5	1	20.0%	13.9%	2	40.0%	36.0%				5	1	20.0%	14.7%	5	1	20.0%	14.7%	5	4	80.0%	82.6%	244
Cincinnati																							
Colorado	27	5	18.5%	19.8%	5	18.5%	19.8%	11	39.3%	31.8%	12	2	16.7%	7.1%	12	1	8.3%	13.1%	31	25	80.6%	73.3%	300
Columbus, OH	14	6	42.9%	40.5%	9	64.3%	64.9%	3	21.4%	8.4%	13	2	15.4%	22.3%	13	3	23.1%	31.1%	17	5	29.4%	29.5%	222
Dallas-Fort Worth, TX	32	5	15.6%	8.9%	14	43.8%	36.0%	4	12.1%	10.1%	25	6	24.0%	23.4%	26	9	34.6%	21.8%	37	17	45.9%	46.0%	245
DC/Baltimore	3										4	1	25.0%	18.2%	4	2	50.0%	64.5%	4	2	50.0%	53.7%	495
East/Mid TN	28	6	21.4%	19.7%	10	35.7%	32.4%	5	17.2%	15.4%	29	6	20.7%	23.6%	30	1	3.3%	1.9%	35	33	94.3%	98.5%	276
Greater WA	4										2	1	50.0%	47.4%	2				4	4	100.0%	100.0%	202
Illinois	49	9	18.4%	15.5%	16	32.7%	34.2%	11	22.4%	17.6%	35	15	42.9%	39.4%	35	8	22.9%	19.1%	55	26	47.3%	43.5%	368
Iowa	2	1	50.0%	78.3%	2	100.0%	100.0%	1	50.0%	78.3%	2				2				3				
Kansas City, MO	6	2	33.3%	17.5%	2	33.3%	17.5%	1	16.7%	5.6%	6				6	1	16.7%	2.1%	7	6	85.7%	70.5%	150
Maine	11	3	27.3%	37.9%	6	54.5%	59.2%	1	9.1%	18.6%	10	4	40.0%	22.6%	10	1	10.0%	20.2%	11	11	100.0%	100.0%	236
Massachusetts	58	6	10.3%	9.5%	10	17.2%	13.1%	12	20.7%	14.4%	45	24	53.3%	43.9%	46	17	37.0%	35.9%	62	55	88.7%	91.0%	222
Memphis, TN	12	2	16.7%	6.8%	7	58.3%	45.1%	2	16.7%	6.8%	11	4	36.4%	26.0%	11	6	54.5%	52.5%	15	13	86.7%	94.3%	263
Metro NYC	19										12	1	8.3%	8.7%	13	3	23.1%	14.1%	20	13	65.0%	67.5%	451
Michigan	46	7	15.2%	11.2%	14	30.4%	27.6%	6	13.0%	10.6%	30	5	16.7%	20.2%	30	7	23.3%	14.9%	50	21	42.0%	38.5%	355
Minnesota	29	5	17.2%	22.5%	7	24.1%	34.8%	17	58.6%	46.6%	24	11	45.8%	40.7%	24	4	16.7%	6.7%	32	29	90.6%	77.8%	278
Nevada	15	1	6.7%	5.9%	2	13.3%	13.0%	1	6.7%	2.4%	13	5	38.5%	33.6%	13	6	46.2%	44.8%	16	15	93.8%	99.8%	270
New Jersey	19	3	15.8%	9.2%	12	63.2%	65.7%				11	4	36.4%	13.0%	11	2	18.2%	8.4%	20	15	75.0%	72.8%	323
New York State (excl NYC)	3										2				2	1	50.0%	12.1%	4	3	75.0%	73.4%	380
Northeast OH	23	4	17.4%	8.3%	4	17.4%	8.3%	6	26.1%	18.7%	23	9	39.1%	34.6%	23	2	8.7%	6.0%	25	3	12.0%	11.5%	376
Raleigh/Durham/Chapel Hill, NC	7										7	4	57.1%	51.2%	7	1	14.3%	19.3%	7				
St Louis, MO	3	1	33.3%	35.8%	1	33.3%	35.8%	2	66.7%	64.2%	1				1	1	100.0%	100.0%	4	2	50.0%	56.6%	262
Savannah, GA	3										2				2				3	3	100.0%	100.0%	385
Seattle, WA	22	2	9.1%	6.8%	2	9.1%	6.8%	9	40.9%	29.7%	16	7	43.8%	47.6%	16	5	31.3%	27.9%	25	20	80.0%	79.6%	278
Southeast OH	4	1	25.0%	48.1%	1	25.0%	48.1%	1	25.0%	48.1%	4	2	50.0%	71.2%	4	2	50.0%	53.6%	4				
Southern IN	2										2	1	50.0%	23.7%	2	2	100.0%	100.0%	3	2	66.7%	46.6%	286
Toledo, OH	8	1	12.5%	13.7%	4	50.0%	42.0%				4	1	25.0%	30.2%	4	1	25.0%	3.9%	9	1	11.1%	1.4%	92
Upstate South Carolina	8	4	50.0%	19.1%	5	62.5%	37.6%	4	50.0%	38.5%	9	3	33.3%	12.6%	9	2	22.2%	7.1%	9	7	77.8%	77.6%	286
Virginia	28	4	14.3%	22.3%	14	50.0%	49.8%	3	10.7%	13.3%	19	7	36.8%	42.1%	19	4	21.1%	27.4%	29	13	44.8%	29.6%	253
Western NC																							
Western OR	12	1	8.3%	3.2%	1	8.3%	3.2%	3	25.0%	15.0%	7	4	57.1%	36.6%	7	2	28.6%	17.7%	12	6	50.0%	22.8%	283
Wichita, KS	4	1	25.0%	30.0%	1	25.0%	30.0%	1	25.0%	3.3%									6				
Wisconsin	37	12	32.4%	26.1%	15	40.5%	33.7%	13	35.1%	21.2%	17	6	35.3%	30.6%	17	3	17.6%	28.0%	43	6	14.0%	12.0%	284
Subtotal	752	131	17.4%	14.7%	239	31.8%	29.7%	176	23.3%	18.4%	542	167	30.8%	27.9%	544	144	26.5%	25.3%	844	532	63.0%	57.9%	278

Leapfrog Survey Status: Summary

Rollout Region <i>Rural Targeted (B)</i>	Pneumonia									Pressure Ulcers				Injuries				Never-Events Policy						
	Standard	Fully Met Efficiency			Fully Met Quality			Fully Met Resource Use			Standard	Fully	% Met of		Standard	Fully	% Met of		Responded	Fully Met				
	Applies	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	#Hosp	%Hosp	%Cases	Applies	Meet	Hosp	Cases	Applies	Meet	Hosp	Cases		#Hosp	%Hosp	%Cases	Avg Beds	
Alabama																								
Atlanta, GA	2	1	50.0%	73.3%	1	50.0%	73.3%	2	100.0%	100.0%	2				2				2	2	100.0%	100.0%	25	
California	8	3	37.5%	41.3%	4	44.4%	49.9%	4	50.0%	49.6%	5	2	40.0%	100.0%	5				10	8	80.0%	85.1%	48	
Central & Northern IN	3	1	33.3%	44.6%	1	33.3%	44.6%	2	66.7%	73.2%	3				3				3	2	66.7%	71.1%	25	
Central Florida																								
Cincinnati																								
Colorado	8	2	25.0%	17.1%	3	37.5%	32.8%	5	62.5%	57.0%	5				5	1	20.0%	37.7%	8	4	50.0%	61.4%	51	
Columbus, OH																								
Dallas-Fort Worth, TX	1	1	100.0%	100.0%	1	100.0%	100.0%				1								1	1	100.0%	100.0%	98	
DC/Baltimore																								
East/Mid TN	2	1	50.0%	27.2%	2	100.0%	100.0%	1	50.0%	27.2%	1				1				2	2	100.0%	100.0%	117	
Greater WA											1				1									
Illinois	11	1	9.1%	2.1%	2	15.4%	7.5%	4	36.4%	10.0%	5				5				13	8	61.5%	44.5%	93	
Iowa	1										1				1				1					
Kansas City, MO	2	1	50.0%	56.0%	2	100.0%	100.0%	1	50.0%	56.0%	2				2				2	1	50.0%	47.4%	25	
Maine	23	8	34.8%	40.3%	8	33.3%	38.5%	13	56.5%	56.5%	23	2	8.7%	15.4%	22				25	24	96.0%	96.8%	39	
Massachusetts	1							1	100.0%	100.0%	2				2				2	1	50.0%	52.1%	25	
Memphis, TN																								
Metro NYC																								
Michigan	25	8	32.0%	22.9%	12	46.2%	54.0%	9	36.0%	21.2%	25	5	20.0%	29.0%	24	2	8.3%	12.1%	37	15	40.5%	42.1%	74	
Minnesota	14	7	50.0%	34.6%	8	53.3%	44.4%	7	50.0%	35.2%	15	3	20.0%	100.0%	14				17	15	88.2%	91.2%	45	
Nevada	1							1	100.0%	100.0%									1					
New Jersey																								
New York State (excl NYC)																								
Northeast OH	3	3	100.0%	100.0%	3	100.0%	100.0%	3	100.0%	100.0%	3				3				3	1	33.3%	11.3%	25	
Raleigh/Durham/Chapel Hill, NC								1	100.0%	100.0%	1				1				1	1	100.0%	100.0%	25	
St Louis, MO	2										2	1	50.0%	74.7%	2				2	1	50.0%	74.7%	190	
Savannah, GA	2	1	50.0%	50.2%	1	50.0%	50.2%				2				2				2	2	100.0%	100.0%	28	
Seattle, WA	2										2	1	50.0%	100.0%	2	1	50.0%	100.0%	2	1	50.0%	6.5%	15	
Southeast OH	5	1	20.0%	41.3%	1	20.0%	41.3%	3	60.0%	40.5%	5				5				5	5	100.0%	100.0%	70	
Southern IN	5	1	20.0%	7.7%	1	20.0%	7.7%				4				4				7	3	42.9%	44.7%	22	
Toledo, OH																								
Upstate South Carolina																								
Virginia	5				1	20.0%	28.2%	1	20.0%	11.0%	1				1				5	2	40.0%	34.7%	133	
Western NC																								
Western OR																								
Wichita, KS																								
Wisconsin	33	11	33.3%	34.2%	13	39.4%	45.0%	19	57.6%	43.0%	27				27				35	19	54.3%	44.6%	37	
Subtotal	160	51	31.9%	26.4%	64	38.6%	39.7%	77	48.1%	33.0%	138	14	10.1%	32.0%	134	4	3.0%	11.6%	186	118	63.4%	59.9%	53	

